RECEIVED CENTRAL FAX CENTER

UC1 u 6 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A method comprising:

predicting a secondary structure of a protein;

annealing the predicted secondary structure;

superimposing the annealed [[predicted]] secondary structure on a set of topomers;

refining the superimposed secondary structure; and

predicting a tertiary structure of [[a]] the protein based on the refined secondary structure.

- 2. (Currently Amended) The method of claim 1, wherein said [[predicted]] predicting the secondary structure comprises deriving [[is]] a consensus predicted secondary structure.
- 3. (Currently Amended) The method of claim 1, [[further comprising]] wherein annealing [[the secondary structure by]] comprises annealing by energy minimization.
- 4. (Original) The method of claim 3, wherein said energy minimization is by a random Monte Carlo method.
- 5. (Original) The method of claim 4, wherein the random Monte Carlo method uses random moves from a log probability table.

Atty Docket No. 42P11816D Application No. 10/693,028 2

PAGE 6/16 * RCVD AT 10/6/2006 3:12:22 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-2/4 * DNIS:2738300 * CSID:303 740 6962 * DURATION (mm-ss):10-32

- 6. (Currently Amended) The method of claim [[3]] 4, wherein the random Monte Carlo method [[uses smart moves]] randomly chooses an amino acid to move.
- 7. (Currently Amended) The method of claim 1, wherein refining the superimposed secondary structure [[the secondary structure superimposed on a set of topomers is refined by]] comprises refining by energy minimization.
- 8. (Currently Amended) The method of claim 7, wherein refining the superimposed secondary structure [[the secondary structure superimposed on a set of topomers is refined using]] comprises refining using a molecular modeling program.
- 9. (Currently Amended) The method of claim 8, whercin the molecular modeling program [[is]] comprises X-PLOR.
- 10. (Currently Amended) The method of claim 1, wherein [[the protein]] predicting the secondary structure [[is predicted]] comprises predicting the secondary structure by at least one technique selected from the group consisting of Chou-Fasmand and GOR (Garnier, Osguthorbe and Robson).
- 11. (Currently Amended) The method of claim 1, wherein [[the protein]] predicting
 the secondary structure [[is predicted]] comprises predicting the secondary structure by at
 least one program selected from the group consisting of PSI-pred, JPRED, Prof,
 PREDATOR, PHD, ZPRED, mnPredict, BMERC, PSA Server, SSP and PROFsec.
- 12. (Currently Amended) The method of claim 1, [[wherein]] <u>further comprising</u> deriving the set of topomers [[is derived]] using Continuous Configuration Boltzman Biased Direct Monte Carlo Method.
- 13. (Currently Amended) The method of claim 1, wherein refining the superimposed secondary structure [[is refined]] comprises refining the superimposed secondary

 Atty Docket No. 42P11816D 3

 Application No. 10/693,028

PAGE 7/16* RCVD AT 10/6/2006 3:12:22 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-2/4* DNIS:2738300 * CSID:303 740 6962 * DURATION (mm-ss):10-32

structure by a program selected from the group consisting of AMBER, CHARMM, X-PLOR and INSIGHTII.

14. (New) The method of claim 1, wherein said annealing the predicted secondary structure comprises choosing a secondary structure prediction from a plurality of secondary structure predictions for an amino acid based at least in part on respective probabilities.

Atty Docket No. 42P11816D Application No. 10/693,028

4